

Exploring Meditation Influence on Stem Cell: A Review of Current Evidence

I Gusti Ngurah Putra Eka Santosa^{1*}, I Made Jawi², I Made Bakta², I Wayan Putu Sutirta Yasa², I Made Ady Wirawan², Cokorda Agung Bagus Lesmana², Yenny Kandarini², Susy Purnamawati²

¹Department of Physiology, Medical Faculty of Universitas Mahasaraswati Denpasar, Indonesia

²Doctor of Medicine Study Program, Faculty of Medicine, Udayana University, Indonesia

*Corresponding Author: ekasantosa@unmas.ac.id

ABSTRAK

Endogenous stem cells play a critical role in maintaining tissue homeostasis, repair, and regeneration. The interconnectedness of mind and body has long been recognized as influencing physical health, with practices such as yoga and meditation demonstrating positive effects on overall well-being. This review aims to synthesize current evidence on the effects of meditation on stem cell function, focusing on both indirect (telomere-related) and direct pathways. Meditation appears to influence stem cell function through various mechanisms. Indirectly, meditation may impact stem cells by modulating telomere length and activity. This modulation is likely mediated through stress reduction, modulation of the hypothalamic-pituitary-adrenal (HPA) axis, melatonin elevation, immune system modulation, and reduction of oxidative stress. Directly, meditation may influence stem cell trafficking and differentiation. While studies suggest potential benefits of meditation on stem cell function, further research is needed to fully elucidate the underlying mechanisms. Emerging evidence suggests that meditation may positively influence stem cell function through both indirect and direct pathways. Future research should focus on clarifying the precise mechanisms, investigating the role of meditation parameters, and conducting clinical trials to assess the therapeutic potential of meditation in promoting stem cell-mediated tissue regeneration and repair. A multidisciplinary approach involving researchers from various fields is crucial for comprehensively understanding the complex interplay between meditation, stem cells, and overall health.

Kata kunci: mechanism, meditation, review, stem cell

INTRODUCTION

Endogenous stem cells, residing within adult organs and tissues, are essential for maintaining tissue homeostasis, orchestrating repair processes, and driving regenerative capacity. These unspecialized precursor cells possess the unique ability to self-renew, replenish the stem cell pool, and differentiate, generating mature daughter cells specialized for specific tissue functions. Their critical role extends from embryonic development, where they establish embryonic tissues, to adulthood, where they continuously replace short-lived mature cells and facilitate injury-induced regeneration of damaged tissues.¹ The body's capacity for continuous homeostasis, repair, and regeneration is intrinsically linked to the activity of these endogenous stem cells.²

The profound impact of the mind-body connection on physical health has long been recognized.³ Integrated systems of movement and breathing exercises, such as meditation, promote relaxation, enhance resilience to stress and anxiety, and can result in improvements across physiological, psychological, and physical domains.^{4,5} This holistic perspective has stimulated significant interest in research exploring the potential influence of such mind-body practices on endogenous stem cell trafficking.^{1,3,6,7}

Emerging research suggests a potential link between mind-body exercises and endogenous stem cell activity. For instance, increased proportions of CD34+ cells have been observed following Innovative Mind-Body easy exercise.⁸ While the precise mechanisms underlying yoga's beneficial effects on organ function remain to be elucidated, it has been hypothesized that yoga and pranayama may stimulate stem cell trafficking from their reservoirs to the peripheral circulation.³ However, further investigation is required to definitively establish whether this stem cell mobilization contributes to tissue repair and regeneration.³

Recognizing this knowledge gap, we conducted a literature review of the current understanding of how meditation affects stem cells. Through this review, we aim to identify strategic next steps in the development of meditation as a cellular-level complementary therapy.

LITERATURE REVIEW

The potential of meditation to influence stem cell function is gaining increasing attention, with emerging evidence suggesting that it may exert its effects through both indirect (telomere-related) and direct pathways.

Indirect (Telomere-Related) Pathway

a) Stress Reduction and HPA Axis Modulation

Meditation, through its impact on the hypothalamic-pituitary-adrenal (HPA) axis,⁹ appears to influence telomere length (TL) by modulating stress response and circadian rhythm.¹⁰ Reduced stress, a consistent outcome of meditation,¹⁰ leads to decreased cortisol levels,¹¹ a key stress biomarker. This decrease is associated with telomere lengthening.¹²⁻¹⁴ Conversely, chronic stress, whether prenatal, early-life, or adult-onset, suppresses telomerase activity (TA),¹⁵⁻¹⁷ potentially through increased oxidative stress and decreased nuclear TA.¹⁸ High cortisol levels, often associated with chronic stress, accelerate cell division, increasing energy demands and contributing to telomere shortening.^{12,19,20} While some studies suggest chronic stress may initially increase basal TA due to immune cell proliferation, it ultimately fails to maintain TL, resulting in shorter telomeres.²¹ The impact of cortisol on TA appears cell-type specific,¹²⁻¹⁴ with the most pronounced effects observed in CD8+ cells.¹⁹ Further research is needed to clarify the precise mechanisms and cell-type

specificity of this interaction. The relationship between meditation, HPA axis activity, and TL remains complex, with some studies showing no correlation between nocturnal cortisol and TL,²² or between leukocyte TL and HPA axis activity.¹³ These discrepancies may be attributed to variations in cell types analyzed across studies.^{12,13,22}

b) Melatonin Elevation

Meditation's influence on telomere health extends beyond stress reduction to include the modulation of melatonin levels.^{23,24} Melatonin, produced by the pineal gland, regulates sleep-wake cycles and possesses antioxidant properties.²⁵ Yogic practices, like meditation, can stimulate melatonin secretion, promoting well-being.²³ Elevated melatonin levels, achieved through meditation, may protect telomeres by mitigating oxidative stress and inflammation, both of which contribute to telomere shortening. This protective effect of melatonin, indirectly facilitated by meditation, supports telomere integrity by reducing cellular damage.²⁴ Meditation's stress-reducing effects further enhance its impact on telomeres, as chronic stress accelerates telomere shortening.²⁶ By reducing stress and promoting relaxation,²⁶ meditation modulates the HPA axis, decreasing cortisol levels and creating a physiological environment favorable for maintaining telomere length and overall cellular health.²⁷

c) Immune System Modulation

Meditation's impact on telomere length (TL) and immune function is mediated through several cellular and molecular mechanisms.²⁸⁻³⁵ Meditation-based therapies contribute to genomic stability by preserving TL and enhancing innate immunity.²⁸ This suggests a protective effect on genetic material and a boost to immune function.²⁸ Meditation mitigates stress-induced immune dysfunction, increasing immunoglobulin A (IgA) and natural killer cell activity.²⁹ It enhances cell-mediated immunity, suggesting a role in disease prevention.³⁰ Furthermore, meditation modulates immune and inflammatory markers, potentially via genetic pathways, indicating an influence on the genetic regulation of immune responses.³¹ A proposed mechanistic model highlights meditation's ability to reduce cellular pro-inflammatory responses, suggesting a direct impact on inflammatory pathways.³² The modulation of interferon-gamma (INF- γ) levels is a key molecular mechanism.^{34,35} Changes in INF- γ levels, induced by meditation, help restore immune balance by counteracting both overactive and deficient immune responses.^{34,35}

d) Modulating Inflammation

Meditation's effects on telomere health are partly mediated through its influence on the inflammatory response and the NF- κ B pathway. NF- κ B, a key regulator of inflammatory

cytokine synthesis,³⁶ is involved in the production of pro-inflammatory cytokines (IL-1, IL-6, IL-8, TNF- α) and CRP.^{37,38} Meditation downregulates the NF- κ B pathway,³⁹ which in turn regulates numerous genes involved in inflammation.⁴⁰ The NF- κ B pathway is also implicated in telomere dysfunction,⁴¹⁻⁴⁷ with chronic inflammation exacerbating telomere dysfunction⁴⁸ and NF- κ B activation leading to telomere shortening.⁴⁹ However, a bidirectional relationship exists between telomere shortening and inflammation,^{50,51} forming a vicious cycle.⁵¹ Meditation intervenes by decreasing levels of IL-6, TNF- α , CRP, and NF- κ B,^{52,52-62} potentially through epigenetic modifications.⁶³⁻⁶⁵ Meditation alters methylation patterns in PBMCs, affecting genes related to immune cell metabolism, aging, and inflammation, including TBKBP1 and TNFSF13B within the TNF- α /NF- κ B pathway.⁶⁵ Furthermore, meditation increases BDNF levels,⁶⁶ a protein involved in inflammation, immunity, and stress response regulation,⁴⁰ potentially contributing to telomere maintenance.^{63,66,67} The mechanisms underlying these effects likely involve neuroplasticity, autonomic nervous system modulation, and stress reduction.⁶⁶

e) Oxidative Stress Reduction

Meditation's impact on telomere health involves its modulation of oxidative stress. Oxidative stress arises from an imbalance between oxidants (like ROS, damaging cellular components) and antioxidants.⁶⁸ While the precise mechanisms by which oxidative stress affects telomeres remain unclear,⁶⁹ the oxidative DNA damage model suggests that ROS directly damage DNA bases, leading to single-strand breaks and other lesions.⁷⁰ Guanine, particularly susceptible to oxidation, may form 8-oxoG.^{71,72} Meditation counteracts oxidative stress by reducing the redox state,⁷³ lowering cortisol, and raising melatonin levels.⁷⁴ It also enhances cellular antioxidant defenses, increasing SOD activity and reducing lipid peroxidation.⁷⁵ Furthermore, meditation practices, including pranayama, improve oxygen flow, reduce stress (modulating the HPA axis), and potentially impact TL.^{28,76} Breathing exercises, in particular, show positive effects on oxidative stress markers.⁷⁶ Meditation's influence on gene expression related to cellular metabolism and oxidative stress pathways⁶⁴ may also play a role.^{67,77} The impact of meditation on acute and habitual stress processes could influence cellular aging and oxidative stress,⁶⁷ with potential upregulation of genes involved in telomere maintenance.⁷⁷

f) Telomere Length and Telomerase Activity

Meditation's influence on stem cell function is potentially mediated through its effects on telomere length (TL) and telomerase activity (TA). Telomeres are crucial for regulating stem cell replicative capacity and maintaining tissue homeostasis.^{78,79} TL homeostasis is essential for stem cell proliferation,⁷⁹ and telomerase activity (TA) is key to maintaining TL and supporting stem cell self-renewal and differentiation.⁸⁰⁻⁸² Meditation

may enhance TA, thereby improving stem cell resilience to stress and promoting optimal cell function.⁸³ Increased TA, induced by meditation, could protect stem cells from telomere shortening and senescence, preserving their replicative capacity and supporting tissue regeneration.⁸⁴ Therefore, modulation of telomere integrity through meditation may indirectly impact stem cell biology, influencing their proliferation and availability.^{78–80,83,84}

Meditation's effects on telomere length (TL) and telomerase activity (TA) are complex and influenced by factors such as meditation type, intensity, and duration. While some studies show increased TL in response to meditation, particularly in women,⁷⁷ others report no significant changes.^{67,85} Specific meditation practices, including mindfulness meditation, may positively impact TL by reducing stress and promoting positive mental states.⁷⁷ Zen meditation, for example, has been associated with longer leukocyte TL.⁸⁶ High-intensity meditation retreats have also demonstrated increases in TL, suggesting that intensity and duration are important factors.⁸⁷ However, individual differences, such as personality traits, may also influence the response to meditation.⁸⁷ The effects of meditation on TA are similarly varied, with most studies showing increased TA following meditation interventions,^{10,54,85,88–92} but some showing no significant change.^{67,93} Studies assessing both TA and TL concurrently often find significant changes in one but not the other, suggesting different kinetics and timescales for these measures.^{54,67,93–95} In summary, meditation may positively influence cellular aging by reducing stress, improving mental well-being, and potentially impacting hormonal factors relevant to telomere maintenance.^{67,77,85} However, further research is needed to fully elucidate the underlying mechanisms and the role of various meditation parameters.

Direct Pathway

Meditation's potential influence on stem cell trafficking and differentiation warrants investigation. The SDF-1-CXCR4 axis plays a crucial role in stem cell trafficking,⁹⁶ and meditation interventions may increase CXCR4 expression on progenitor cells, potentially impacting stem cell mobilization.⁹⁷ External factors, such as meditation, could modulate stem cell movement, relevant to diseases with defective stem cell trafficking.⁶ The complex regulation of hematopoietic stem cell (HSC) trafficking involves endothelial cells, vascular niches, signaling pathways (e.g., Slit2-Robo4), adhesion molecules, and chemokines/cytokines.⁹⁸ Meditation may also mobilize hematopoietic stem cells and very small embryonic-like stem cells (VSELs).³ Furthermore, meditation may influence stem cell differentiation; mindfulness meditation has increased endogenous progenitor cell populations,⁹⁷ and mind-body therapy programs have upregulated hematopoiesis and adult stem cell numbers.⁹² While the precise mechanisms remain to be fully elucidated, these findings suggest that external interventions, such as meditation, could modulate stem cell behavior.

FUTURE DIRECTIONS

To fully understand meditation's impact on endogenous stem cells, future research must delve deeper into the underlying mechanisms. Firstly, investigating cell-specific effects is crucial. While some studies point to cell-type specificity in cortisol's influence on telomerase activity, further research is needed to clarify the precise mechanisms and cell-type specificity of this interaction across various stem cell populations, including hematopoietic stem cells, mesenchymal stem cells, and VSELs. Additionally, exploring the role of epigenetic modifications, particularly methylation patterns, in mediating meditation's effects on stem cell function is essential. Identifying specific methylation sites and their associated genes involved in stem cell activity, differentiation, and trafficking will provide valuable insights. Finally, investigating the impact of meditation on specific signaling pathways involved in stem cell trafficking, such as the SDF-1-CXCR4 axis and the Slit2-Robo4 pathway, will be crucial.

Furthermore, future research should investigate the role of meditation parameters. The influence of meditation intensity and duration on stem cell function needs further exploration. Longitudinal studies with varying meditation protocols, including high-intensity retreats and regular practice, are needed to determine optimal parameters for maximizing stem cell benefits. Additionally, exploring the effects of different meditation types, such as mindfulness meditation, Zen meditation, and other practices, on stem cell function will provide a more nuanced understanding of the mechanisms involved.

Finally, translating this research into clinical applications is essential. Well-designed clinical trials are needed to assess the therapeutic potential of meditation in promoting stem cell-mediated tissue regeneration and repair in various disease contexts. This includes investigating the use of meditation as an adjunct therapy for conditions such as cardiovascular disease, neurodegenerative disorders, and age-related decline. Furthermore, investigating the potential of meditation to mobilize stem cells into the peripheral circulation for therapeutic purposes, particularly in the context of regenerative medicine, is a promising area for future research. To achieve these goals, collaborations between researchers in stem cell biology, neuroscience, psychology, and other relevant fields are crucial. This multidisciplinary approach will allow for a more comprehensive and insightful analysis of the complex interplay between meditation, stem cells, and overall health.

CONCLUSION

This review highlights the emerging evidence suggesting that meditation may influence stem cell function through both indirect (telomere-related) and direct pathways. While the precise mechanisms remain to be fully elucidated, current research suggests that meditation may positively impact stem cell function by reducing stress, improving mental

well-being, and potentially influencing hormonal factors relevant to telomere maintenance. Furthermore, meditation may directly affect stem cell trafficking and differentiation. However, further research is needed to fully understand the underlying mechanisms and the role of various meditation parameters.

Future research should focus on investigating cell-specific effects, epigenetic modifications, specific signaling pathways, and the influence of meditation intensity, duration, and type. Translational research, including well-designed clinical trials, is essential to assess the therapeutic potential of meditation in promoting stem cell-mediated tissue regeneration and repair in various disease contexts. Finally, collaborative efforts between researchers in stem cell biology, neuroscience, psychology, and other relevant fields are crucial for advancing our understanding of the multifaceted effects of meditation on stem cell function.

References

1. Laird DJ, von Andrian UH, Wagers AJ. Stem Cell Trafficking in Tissue Development, Growth, and Disease. *Cell*. 2008 Feb 22;132(4):612–30.
2. Lim JE, Son Y. Endogenous Stem Cells in Homeostasis and Aging. *Tissue Eng Regen Med*. 2017 Nov 20;14(6):679–98.
3. Shree N, Bhonde RR. Can yoga therapy stimulate stem cell trafficking from bone marrow? *J Ayurveda Integr Med*. 2016 Jul;7(3):181–4.
4. Sharma K, Maity K, Goel S, Kanwar S, Anand A. Common Yoga Protocol Increases Peripheral Blood CD34+ Cells: An Open-Label Single-Arm Exploratory Trial. *J Multidiscip Healthc*. 2023 Jun 21;16:1721–36.
5. Woodyard C. Exploring the therapeutic effects of yoga and its ability to increase quality of life. *Int J Yoga*. 2011;4(2):49–54.
6. Kraitchman DL, Tatsumi M, Gilson WD, Ishimori T, Kedziorek D, Walczak P, et al. Dynamic Imaging of Allogeneic Mesenchymal Stem Cells Trafficking to Myocardial Infarction. *Circulation*. 2005 Sep;112(10):1451–61.
7. Suárez-Álvarez B, López-Vázquez A, López-Larrea C. Mobilization and Homing of Hematopoietic Stem Cells. In 2012. p. 152–70. Available from: http://link.springer.com/10.1007/978-1-4614-2098-9_11
8. Wu TY, Kung CC, Kao TY, Sun WH. Innovative Mind–Body Intervention Day Easy Exercise Increases Peripheral Blood CD34+ Cells in Adults. *Cell Transplant*. 2020 Aug 25;29:0963689720952352.
9. Pascoe MC, Thompson DR, Ski CF. Meditation and Endocrine Health and Wellbeing. *Trends Endocrinol Metab*. 2020 Jul 1;31(7):469–77.
10. Lavretsky H, Epel ES, Siddarth P, Nazarian N, Cyr NSt, Khalsa DS, et al. A pilot study of yogic meditation for family dementia caregivers with depressive symptoms: effects on mental health, cognition, and telomerase activity. *Int J Geriatr Psychiatry*. 2013 Jan;28(1):57–65.
11. Tang YY, Hölzel BK, Posner MI. The neuroscience of mindfulness meditation. *Nat Rev Neurosci*. 2015 Apr;16(4):213–25.
12. Tomiyama AJ, O'Donovan A, Lin J, Puterman E, Lazaro A, Chan J, et al. Does cellular aging relate to patterns of allostasis?: An examination of basal and stress reactive HPA axis activity and telomere length. *Physiol Behav*. 2012 Apr 12;106(1):40–5.
13. Savolainen K, Eriksson JG, Kajantie E, Lahti J, Räikkönen K. Telomere length and hypothalamic–pituitary–adrenal axis response to stress in elderly adults. *Psychoneuroendocrinology*. 2015 Mar 1;53:179–84.

14. Nelson BW, Allen NB, Laurent H. Infant HPA axis as a potential mechanism linking maternal mental health and infant telomere length. *Psychoneuroendocrinology*. 2018 Feb 1;88:38–46.
15. Epel ES, Blackburn EH, Lin J, Dhabhar FS, Adler NE, Morrow JD, et al. Accelerated telomere shortening in response to life stress. *Proc Natl Acad Sci*. 2004 Dec 7;101(49):17312–5.
16. Epel ES, Lin J, Wilhelm FH, Wolkowitz OM, Cawthon R, Adler NE, et al. Cell aging in relation to stress arousal and cardiovascular disease risk factors. *Psychoneuroendocrinology*. 2006 Apr 1;31(3):277–87.
17. Epel ES, Lin J, Dhabhar FS, Wolkowitz OM, Puterman E, Karan L, et al. Dynamics of telomerase activity in response to acute psychological stress. *Brain Behav Immun*. 2010 May;24(4):531–9.
18. De Punder K, Heim C, Wadhwa PD, Entringer S. Stress and immunosenescence: The role of telomerase. *Psychoneuroendocrinology*. 2019 Mar;101:87–100.
19. Choi J, Fauce SR, Effros RB. Reduced telomerase activity in human T lymphocytes exposed to cortisol. *Brain Behav Immun*. 2008 May;22(4):600–5.
20. Belsky J, Shalev I. Contextual adversity, telomere erosion, pubertal development, and health: Two models of accelerated aging, or one? *Dev Psychopathol*. 2016 Nov;28(4pt2):1367–83.
21. Zalli A, Carvalho LA, Lin J, Hamer M, Erusalimsky JD, Blackburn EH, et al. Shorter telomeres with high telomerase activity are associated with raised allostatic load and impoverished psychosocial resources. *Proc Natl Acad Sci U S A*. 2014 Mar 25;111(12):4519–24.
22. Parks CG, Miller DB, McCanlies EC, Cawthon RM, Andrew ME, DeRoo LA, et al. Telomere Length, Current Perceived Stress, and Urinary Stress Hormones in Women. *Cancer Epidemiol Biomark Prev Publ Am Assoc Cancer Res Cosponsored Am Soc Prev Oncol*. 2009 Feb;18(2):551–60.
23. Harinath K, Malhotra AS, Pal K, Prasad R, Kumar R, Kain TC, et al. Effects of Hatha Yoga and Omkar Meditation on Cardiorespiratory Performance, Psychologic Profile, and Melatonin Secretion. *J Altern Complement Med*. 2004 Apr;10(2):261–8.
24. Marks R. Healthy Aging and Muscle Dysfunction: Will Melatonin Help? *J Aging Res Health*. 2021 Jun 12;4(1):1–11.
25. Bisht S, Banu S, Srivastava S, Pathak RU, Kumar R, Dada R, et al. Sperm methylome alterations following yoga-based lifestyle intervention in patients of primary male infertility: A pilot study. *Andrologia*. 2020;52(4):e13551.
26. Kanchibhotla D, Subramanian S, Singh D. Management of dysmenorrhea through yoga: A narrative review. *Front Pain Res [Internet]*. 2023 Mar 30 [cited 2024 Jul 7];4. Available from: <https://www.frontiersin.org/journals/pain-research/articles/10.3389/fpain.2023.1107669/full>
27. Narasimhan L, Nagarathna R, Nagendra H. Effect of integrated yogic practices on positive and negative emotions in healthy adults. *Int J Yoga*. 2011;4(1):13–9.
28. Rathore M, Verma M, Abraham J, Dada R, Kumar M. Impact of “Yoga Based Lifestyle Interventions” and its Implications on Health and Disease. *Int Res J Ayurveda Yoga*. 2023 Jan 31;6(1):64–73.
29. Giridharan S, Bhana R. The Impact of Yoga on the Immune System of Cancer Patients: A Scoping Review of Current Evidence. *Int Res J Ayurveda Yoga*. 2024 Feb 29;7(2):33–40.
30. Shah K, Adhikari C, Saha S, Saxena D. Yoga, immunity and COVID-19: A scoping review. *J Fam Med Prim Care*. 2022 May;11(5):1683.
31. Mishra B, Agarwal A, George JA, Upadhyay AD, Nilima N, Mishra R, et al. Effectiveness of Yoga in Modulating Markers of Immunity and Inflammation: A Systematic Review and Meta-Analysis. *Cureus [Internet]*. 2024 Apr 3 [cited 2024 Jul 7];16. Available from: <https://www.cureus.com/articles/221817-effectiveness-of-yoga-in-modulating-markers-of-immunity-and-inflammation-a-systematic-review-and-meta-analysis#!/>
32. Basu-Ray I. A Mechanistic Model for Yoga as a Preventive and Therapeutic Modality. *Int J Yoga*. 2021 Aug;14(2):152.

33. Gopal A, Mondal S, Gandhi A, Arora S, Bhattacharjee J. Effect of integrated yoga practices on immune responses in examination stress – A preliminary study. *Int J Yoga*. 2011;4(1):26–32.
34. Eda N, Ito H, Shimizu K, Suzuki S, Lee E, Akama T. Yoga stretching for improving salivary immune function and mental stress in middle-aged and older adults. *J Women Aging*. 2018 May 4;30(3):227–41.
35. Infante JR, Peran F, Rayo JJ, Serrano J, Domínguez ML, Garcia L, et al. Levels of immune cells in transcendental meditation practitioners. *Int J Yoga*. 2014;7(2):147–51.
36. Lawrence T. The Nuclear Factor NF- κ B Pathway in Inflammation. *Cold Spring Harb Perspect Biol*. 2009 Dec;1(6):a001651.
37. Glaser R, Kiecolt-Glaser JK, Marucha PT, MacCallum RC, Laskowski BF, Malarkey WB. Stress-Related Changes in Proinflammatory Cytokine Production in Wounds. *Arch Gen Psychiatry*. 1999 May 1;56(5):450–6.
38. Tanaka T, Kishimoto T. The Biology and Medical Implications of Interleukin-6. *Cancer Immunol Res*. 2014 Apr 3;2(4):288–94.
39. Buric I, Farias M, Jong J, Mee C, Brazil IA. What Is the Molecular Signature of Mind-Body Interventions? A Systematic Review of Gene Expression Changes Induced by Meditation and Related Practices. *Front Immunol [Internet]*. 2017 Jun 16 [cited 2024 Jul 11];8. Available from: <https://www.frontiersin.org/journals/immunology/articles/10.3389/fimmu.2017.00670/full>
40. Moreno JJ. Modulation of inflammatory response and pain by mind-body therapies as meditation. *Brain Behav Immun Integr*. 2024 Jan 1;5:100036.
41. Liu S, Nong W, Ji L, Zhuge X, Wei H, Luo M, et al. The regulatory feedback of inflammatory signaling and telomere/telomerase complex dysfunction in chronic inflammatory diseases. *Exp Gerontol*. 2023 Apr 1;174:112132.
42. Amsellem V, Gary-Bobo G, Marcos E, Maitre B, Chaar V, Validire P, et al. Telomere Dysfunction Causes Sustained Inflammation in Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med*. 2011 Dec 15;184(12):1358–66.
43. Gizard F, Heywood EB, Findeisen HM, Zhao Y, Jones KL, Cudejko C, et al. Telomerase Activation in Atherosclerosis and Induction of Telomerase Reverse Transcriptase Expression by Inflammatory Stimuli in Macrophages. *Arterioscler Thromb Vasc Biol*. 2011 Feb;31(2):245–52.
44. Liew CW, Holman A, Kulkarni RN. The roles of telomeres and telomerase in β -cell regeneration. *Diabetes Obes Metab*. 2009 Nov;11(s4):21–9.
45. Steer SE, Williams FMK, Kato B, Gardner JP, Norman PJ, Hall MA, et al. Reduced telomere length in rheumatoid arthritis is independent of disease activity and duration. *Ann Rheum Dis*. 2007 Apr 1;66(4):476–80.
46. Fujii H, Shao L, Colmegna I, Goronzy JJ, Weyand CM. Telomerase insufficiency in rheumatoid arthritis. *Proc Natl Acad Sci*. 2009 Mar 17;106(11):4360–5.
47. Colmegna I, Diaz-Borjon A, Fujii H, Schaefer L, Goronzy JJ, Weyand CM. Defective proliferative capacity and accelerated telomeric loss of hematopoietic progenitor cells in rheumatoid arthritis. 2008;58(4):990.
48. Jurk D, Wilson C, Passos JF, Oakley F, Correia-Melo C, Greaves L, et al. Chronic inflammation induces telomere dysfunction and accelerates ageing in mice. *Nat Commun*. 2014 Jun 24;5(1):4172.
49. Tichy ED, Ma N, Sidibe D, Loro E, Kocan J, Chen DZ, et al. Persistent NF- κ B activation in muscle stem cells induces proliferation-independent telomere shortening. *Cell Rep [Internet]*. 2021 May 11 [cited 2024 Jul 11];35(6). Available from: [https://www.cell.com/cell-reports/abstract/S2211-1247\(21\)00432-0](https://www.cell.com/cell-reports/abstract/S2211-1247(21)00432-0)
50. Kordinas V, Ioannidis A, Chatzipanagiotou S. The Telomere/Telomerase System in Chronic Inflammatory Diseases. Cause or Effect? *Genes*. 2016 Sep 3;7(9):60.
51. Niveta JPS, Kumar MA, Parvathi VD. Telomere attrition and inflammation: the chicken and the egg story. *Egypt J Med Hum Genet*. 2022 Aug 28;23(1):131.
52. Creswell JD, Irwin MR, Burklund LJ, Lieberman MD, Arevalo JMG, Ma J, et al. Mindfulness-Based Stress Reduction training reduces loneliness and pro-inflammatory

- gene expression in older adults: A small randomized controlled trial. *Brain Behav Immun.* 2012 Oct 1;26(7):1095–101.
53. Bower JE, Crosswell AD, Stanton AL, Crespi CM, Winston D, Arevalo J, et al. Mindfulness meditation for younger breast cancer survivors: A randomized controlled trial. *Cancer.* 2015;121(8):1231–40.
 54. Lengacher CA, Reich RR, Kip KE, Barta M, Ramesar S, Paterson CL, et al. Influence of Mindfulness-Based Stress Reduction (MBSR) on Telomerase Activity in Women With Breast Cancer (BC). *Biol Res Nurs.* 2014 Oct;16(4):438–47.
 55. Elsenbruch S, Langhorst J, Popkirowa K, Müller T, Luedtke R, Franken U, et al. Effects of Mind-Body Therapy on Quality of Life and Neuroendocrine and Cellular Immune Functions in Patients with Ulcerative Colitis. *Psychother Psychosom.* 2005 Aug 10;74(5):277–87.
 56. Rosenkranz MA, Davidson RJ, MacCoon DG, Sheridan JF, Kalin NH, Lutz A. A comparison of mindfulness-based stress reduction and an active control in modulation of neurogenic inflammation. *Brain Behav Immun.* 2013 Jan 1;27:174–84.
 57. Jedel S, Hoffman A, Merriman P, Swanson B, Voigt R, Rajan KB, et al. A Randomized Controlled Trial of Mindfulness-Based Stress Reduction to Prevent Flare-Up in Patients with Inactive Ulcerative Colitis. *Digestion.* 2014 Feb 14;89(2):142–55.
 58. Malarkey WB, Jarjoura D, Klatt M. Workplace based mindfulness practice and inflammation: A randomized trial. *Brain Behav Immun.* 2013 Jan 1;27:145–54.
 59. Bhasin MK, Dusek JA, Chang BH, Joseph MG, Denninger JW, Fricchione GL, et al. Relaxation Response Induces Temporal Transcriptome Changes in Energy Metabolism, Insulin Secretion and Inflammatory Pathways. *PLOS ONE.* 2013 May 1;8(5):e62817.
 60. Black DS, O'Reilly GA, Olmstead R, Breen EC, Irwin MR. Mindfulness-based intervention for prodromal sleep disturbances in older adults: Design and methodology of a randomized controlled trial. *Contemp Clin Trials.* 2014 Sep 1;39(1):22–7.
 61. Black DS, O'Reilly GA, Olmstead R, Breen EC, Irwin MR. Mindfulness Meditation and Improvement in Sleep Quality and Daytime Impairment Among Older Adults With Sleep Disturbances: A Randomized Clinical Trial. *JAMA Intern Med.* 2015 Apr 1;175(4):494–501.
 62. Bower JE, Irwin MR. Mind-body therapies and control of inflammatory biology: A descriptive review. *Brain Behav Immun.* 2016 Jan 1;51:1–11.
 63. Álvarez-López MJ, Conklin QA, Cosín-Tomás M, Shields GS, King BG, Zanesco AP, et al. Changes in the expression of inflammatory and epigenetic-modulatory genes after an intensive meditation retreat. *Compr Psychoneuroendocrinology.* 2022 Aug;11:100152–100152.
 64. Kaliman P, Álvarez-López MJ, Cosín-Tomás M, Rosenkranz MA, Lutz A, Davidson RJ. Rapid changes in histone deacetylases and inflammatory gene expression in expert meditators. *Psychoneuroendocrinology.* 2014 Feb 1;40:96–107.
 65. Chaix R, Fagny M, Cosin-Tomás M, Alvarez-López M, Lemee L, Regnault B, et al. Differential DNA methylation in experienced meditators after an intensive day of mindfulness-based practice: Implications for immune-related pathways. *Brain Behav Immun.* 2020 Feb 1;84:36–44.
 66. Cahn BR, Goodman MS, Peterson CT, Maturi R, Mills PJ. Yoga, Meditation and Mind-Body Health: Increased BDNF, Cortisol Awakening Response, and Altered Inflammatory Marker Expression after a 3-Month Yoga and Meditation Retreat. *Front Hum Neurosci [Internet].* 2017 Jun 26 [cited 2024 Jul 11];11. Available from: <https://www.frontiersin.org/journals/human-neuroscience/articles/10.3389/fnhum.2017.00315/full>
 67. Conklin QA, King BG, Zanesco AP, Lin J, Hamidi AB, Pokorny JJ, et al. Insight meditation and telomere biology: The effects of intensive retreat and the moderating role of personality. *Brain Behav Immun.* 2018 May 1;70:233–45.
 68. Perkins A, Nelson KJ, Parsonage D, Poole LB, Karplus PA. Peroxiredoxins: guardians against oxidative stress and modulators of peroxide signaling. *Trends Biochem Sci.* 2015 Aug 1;40(8):435–45.
 69. Barnes RP, Fouquerel E, Opresko PL. The impact of oxidative DNA damage and stress on telomere homeostasis. *Mech Ageing Dev.* 2019 Jan;177:37–45.

70. Cadet J, Wagner JR. DNA Base Damage by Reactive Oxygen Species, Oxidizing Agents, and UV Radiation. *Cold Spring Harb Perspect Biol.* 2013 Feb;5(2):a012559.
71. Fleming AM, Burrows CJ. Formation and Processing of DNA Damage Substrates for the hNEIL Enzymes. *Free Radic Biol Med.* 2017 Jun;107:35–52.
72. Luo W, Muller JG, Rachlin EM, Burrows CJ. Characterization of hydantoin products from one-electron oxidation of 8-oxo-7,8-dihydroguanosine in a nucleoside model. *Chem Res Toxicol.* 2001 Jul;14(7):927–38.
73. Haripriya M, Sharvani N, Kishorenaick D, Singh M SB, Vanajakshamma V, Kiranmayi VS. Impact of Heartfulness Meditation on Improving Antioxidant Status and Lipid Profile in Patients with Coronary Artery Disease. *Indian J Clin Cardiol.* 2024 Mar 1;5(1):11–4.
74. Martarelli D, Cocchioni M, Scuri S, Pompei P. Diaphragmatic Breathing Reduces Exercise-Induced Oxidative Stress. *Evid-Based Complement Altern Med ECAM.* 2011;2011:932430.
75. Panta P. The Possible Role of Meditation in Myofascial Pain Syndrome: A New Hypothesis. *Indian J Palliat Care.* 2017;23(2):180–7.
76. Li T ting, Wang H ying, Zhang H, Zhang P ping, Zhang M chen, Feng H yang, et al. Effect of breathing exercises on oxidative stress biomarkers in humans: A systematic review and meta-analysis. *Front Med.* 2023 Apr 5;10:1121036.
77. Dasanayaka NN, Sirisena ND, Samaranayake N. Improving Mindfulness, Quality of Life, and Controlling Cellular Aging through Meditation. In: *Well-Being Across the Globe - New Perspectives - Concepts, Correlates and Geography [Working Title] [Internet].* IntechOpen; 2023. Available from: <https://www.intechopen.com/online-first/86680>
78. Iglesias M, Felix DA, Gutiérrez-Gutiérrez Ó, Miguel-Bonet M del MD, Sahu S, Fernández-Varas B, et al. Downregulation of mTOR Signaling Increases Stem Cell Population Telomere Length during Starvation of Immortal Planarians. *Stem Cell Rep.* 2019 Aug 13;13(2):405–18.
79. Rivera T, Haggblom C, Cosconati S, Karlseder J. A balance between elongation and trimming regulates telomere stability in stem cells. *Nat Struct Mol Biol.* 2017 Jan;24(1):30–9.
80. Li JSZ, Denchi EL. How stem cells keep telomeres in check. *Differentiation.* 2018 Mar 1;100:21–5.
81. Hiyama E, Hiyama K. Telomere and telomerase in stem cells. *Br J Cancer.* 2007 Apr 10;96(7):1020–4.
82. Armstrong L, Saretzki G, Peters H, Wappler I, Evans J, Hole N, et al. Overexpression of Telomerase Confers Growth Advantage, Stress Resistance, and Enhanced Differentiation of ESCs Toward the Hematopoietic Lineage. *Stem Cells.* 2005 Apr;23(4):516–29.
83. Saretzki G. Telomerase, mitochondria and oxidative stress. *Exp Gerontol.* 2009 Aug;44(8):485–92.
84. Rubtsova MP, Vasilkova DP, Malyavko AN, Naraikina YuV, Zvereva MI, Dontsova OA. Telomere Lengthening and Other Functions of Telomerase. *Acta Naturae.* 2012 Jun;4(2):44–61.
85. Ornish D, Lin J, Daubenmier J, Weidner G, Epel E, Kemp C, et al. Increased telomerase activity and comprehensive lifestyle changes: a pilot study. *Lancet Oncol.* 2008 Nov 1;9(11):1048–57.
86. Alda M, Puebla-Guedea M, Rodero B, Demarzo M, Montero-Marin J, Roca M, et al. Zen meditation, Length of Telomeres, and the Role of Experiential Avoidance and Compassion. *Mindfulness.* 2016 Jun;7(3):651–9.
87. Sung MK, Koh E, Kang Y, Lee JH, Park JY, Kim JY, et al. Three months-longitudinal changes in relative telomere length, blood chemistries, and self-report questionnaires in meditation practitioners compared to novice individuals during midlife. *Medicine (Baltimore).* 2022 Oct;101(41):e30930–e30930.
88. Daubenmier J, Lin J, Blackburn E, Hecht FM, Kristeller J, Maninger N, et al. Changes in stress, eating, and metabolic factors are related to changes in telomerase activity in a randomized mindfulness intervention pilot study. *Psychoneuroendocrinology.* 2012 Jul;37(7):917–28.

89. Epel ES, Puterman E, Lin J, Blackburn EH, Lum PY, Beckmann ND, et al. Meditation and vacation effects have an impact on disease-associated molecular phenotypes. *Transl Psychiatry*. 2016 Aug 30;6(8):e880.
90. Jacobs TL, Epel ES, Lin J, Blackburn EH, Wolkowitz OM, Bridwell DA, et al. Intensive meditation training, immune cell telomerase activity, and psychological mediators. *Psychoneuroendocrinology*. 2011 Jun 1;36(5):664–81.
91. Kumar SB, Yadav R, Yadav RK, Tolahunase M, Dada R. Telomerase Activity and Cellular Aging Might Be Positively Modified by a Yoga-Based Lifestyle Intervention. *J Altern Complement Med*. 2015 Jun;21(6):370–2.
92. Rao KS, Chakraharti SK, Dongare VS, Chetana K, Ramirez CM, Koka PS, et al. Antiaging Effects of an Intensive Mind and Body Therapeutic Program through Enhancement of Telomerase Activity and Adult Stem Cell Counts. *J Stem Cells*. 2015;10(2):107–25.
93. Ornish D, Lin J, Chan JM, Epel E, Kemp C, Weidner G, et al. Effect of comprehensive lifestyle changes on telomerase activity and telomere length in men with biopsy-proven low-risk prostate cancer: 5-year follow-up of a descriptive pilot study. *Lancet Oncol*. 2013 Oct 1;14(11):1112–20.
94. Conklin QA, Crosswell AD, Saron CD, Epel ES. Meditation, stress processes, and telomere biology. *Curr Opin Psychol*. 2019 Aug;28:92–101.
95. Tolahunase M, Sagar R, Dada R. Impact of Yoga and Meditation on Cellular Aging in Apparently Healthy Individuals: A Prospective, Open-Label Single-Arm Exploratory Study. *Oxid Med Cell Longev*. 2017;2017:7928981.
96. Kucia M, Reza R, Miekus K, Wanzeck J, Wojakowski W, Janowska-Wieczorek A, et al. Trafficking of Normal Stem Cells and Metastasis of Cancer Stem Cells Involve Similar Mechanisms: Pivotal Role of the SDF-1–CXCR4 Axis. *STEM CELLS*. 2005 Aug;23(7):879–94.
97. Fyfe-Johnson A, Taylor D, Zierold C, Dusek J. OA04.01. Effects of relaxation response intervention on endogenous progenitor cells in a hypertensive population. *BMC Complement Altern Med*. 2012 Jun;12(S1):O13–O13.
98. Smith-Berdan S, Bercasio A, Kramer L, Petkus B, Hinck L, Forsberg EC. Acute and endothelial-specific Robo4 deletion affect hematopoietic stem cell trafficking independent of VCAM1. Bunting KD, editor. *PLOS ONE*. 2021 Aug;16(8):e0255606–e0255606.