

# Concurrent Outbreak of Peste Des Petits Ruminants and Contagious Caprine Pleuropneumonia in Goats In Jarar and Doollo Zones, Somali Region, Ethiopia: a Case Report

Ahmed Abdi Mohomed<sup>1\*</sup>, Yahia Y. Hassan<sup>2</sup>, Ahmed Ali Muhumed<sup>1</sup>, Ahmed Mahamed Abdiwahab<sup>3</sup>, Abdikarin Ali Rafle<sup>3</sup>

<sup>1</sup> Kabridahar Regional Veterinary Laboratory Center, Kabridahar, Somali, Ethiopia.

<sup>2</sup> Jigjiga University, College of Veterinary, Somali, Ethiopia.

<sup>3</sup> Jigjiga Regional Veterinary Laboratory Center, Somali, Ethiopia.

Received: February 28, 2025

Revised: June 29, 2025

Accepted: August 28, 2025

Published: August 31, 2025

Corresponding Author:

Ahmed Abdi mohomed

[dastuur1@gmail.com](mailto:dastuur1@gmail.com)

DOI: [10.5656/amplitudo.v4i2.389](https://doi.org/10.5656/amplitudo.v4i2.389)

© 2025 The Authors. This open access article is distributed under a (CC-BY License)



**Abstract:** The Somali region of Ethiopia, predominantly inhabited by pastoralists, faces serious threats to food security and economy from livestock diseases. Among these diseases, Peste des Petits Ruminants (PPR) and Contagious Caprine Pleuropneumonia (CCPP) are of major concern, especially in small ruminants such as goats, with high morbidity and mortality rates. To evaluate the impact of treatment interventions (administration of 20% oxytetracycline and Penistripe) and mass vaccination campaigns on the morbidity and mortality rates caused by PPR and CCPP outbreaks. The research method will focus on the epidemiological analysis of concurrent PPR and CCPP outbreaks in Jarar and Doollo Zones, Somali Region, Ethiopia in February 2025, by reviewing laboratory confirmation data and responses to interventions. The study will also evaluate the effectiveness of antibiotic treatment and mass vaccination campaigns in controlling the spread of diseases in small ruminants in the region. The research results showed that the detection of PPR Ag in the nasal discharge of infected caprine provided strong evidence of active PPR infection, also the detection of CCPP antibodies in the serum of infected caprine showed clearly active for CCPP infection. The research conclusion is that successfully control the spread of PPR, immediate intervention measures are mandatory, such as vaccinations campaigns, isolation of sick and healthy animals and treatment of infected animals are imperative.

**Keywords:** Contagious Caprine Pleuropneumonia; Goats; Peste des Petits Ruminants; Somali Region; Vaccination

## Introduction

Ethiopia possesses one of the largest goat populations in the continent that serves multiple functions to communities that herd them. The total goat population in Ethiopia is estimated at 52.5 million and in Somali Regional State of Ethiopia is well known for its large number of small ruminants, about 16.4 million goats (Bekele Atoma et al., 2024; Jemberu et al., 2022). In pastoral and agro-pastoral areas like Jarar and Doollo zones, goats are important components of the production system which benefits smallholder farmers

in generating cash income as well as milk (Andre Mataveia et al., 2023; Meza-Herrera et al., 2024). Despite their potential in the area, the productivity of goat remains quite low (Nyakwawa et al., 2022; Sujarwanta et al., 2024; Tajonar et al., 2022). Peste des petits ruminant (PPR) is an acute, extremely contagious and economically important Tran's boundary viral disease of small ruminants which is categorized by OIE as a notifiable disease (Abubakar et al., 2015; Mdetele et al., 2021; Zahur et al., 2014). The disease is characterized clinically by severe pyrexia, oculonasal discharge, necrotizing and erosive stomatitis, enteritis and

### How to Cite:

Mohomed, A. A., Hassan, Y. Y., Muhumed, A. A., Abdiwahab, A. M., & Rafle, A. A. (2025). Concurrent Outbreak of Peste Des Petits Ruminants and Contagious Caprine Pleuropneumonia in Goats In Jarar and Doollo Zones, Somali Region, Ethiopia: A Case Report. *AMPLITUDO : Journal of Science and Technology Innovation*, 4(2), 150-156. <https://doi.org/10.5656/amplitudo.v4i2.389>

pneumonia (O'Toole & Li, 2014). It is caused by the peste des petits ruminants virus (PPRV). The virus belongs to the Paramyxoviridae family and the Morbillivirus genus (Kumar et al., 2025; Vanmechelen et al., 2020; Wells et al., 2022), which contains Rinderpest Virus (RPV), Canine Distemper Virus (CD), and Phocine Distemper Virus (PDV), which plague cattle, dogs, and seals, respectively (Ohishi et al., 2012; Uhl et al., 2019).

Contagious caprine pleuropneumonia (CCPP) is one of the highly infectious and serious respiratory diseases of goats clinically characterized by coughing (Rahman et al., 2024), respiratory distress, and very high morbidity and mortality rates, the disease is caused by the smallest fastidious bacteria, member of the *Mycoplasma* genus- usually *Mycoplasma capricolum* subspecies *capripneumoniae* (Mccp); taxonomically grouped as one of the members of the *Mycoplasma mycoides* cluster [5]. In Somali Region of Ethiopia, known for its large pastoralist community, faces ongoing challenges with livestock diseases that threaten food security and economic stability. Peste des Petits Ruminants (PPR) and Contagious Caprine Pleuropneumonia (CCPP) are among the most common diseases affecting small ruminants, such as goats and sheep (Ma et al., 2020; Molla et al., 2023; Selim et al., 2021).

These diseases are characterized by high morbidity and mortality, especially in young and unvaccinated animals. In February, 2025, an outbreak of both PPR and CCPP occurred simultaneously in the Jarar and Doollo Zones, prompting an urgent response from local veterinary services.

## Method

The methodology for investigating and managing the concurrent outbreak of Peste des Petits Ruminants (PPR) and Contagious Caprine Pleuropneumonia (CCPP) in goats at Ararso and Dig Districts of Jarar Zone and Warder, Bokh and Galadi Districts of Doollo Zone in the Somali Regional of Ethiopia, involved several stages, including outbreak investigation, clinical observation, laboratory diagnostics, treatment, and control measures. Hence, the below describes the appropriate steps followed during the investigation and management of the outbreak at study areas accordingly.

### Outbreak Investigation

The first step involved identifying and investigating the outbreak in the affected zones. The investigation was conducted by a collective team composed of veterinary laboratory officers from both Jigjiga and Kabridahar Regional veterinary laboratories in collaboration with the Somali Regional State Pastoral

Development Bureau. The outbreak was reported by the farmers and pastoralists, prompting a response from the veterinary team.

### Identification of Affected Areas

Affected zones, including the Jarar and Doollo Zones, were mapped based on reports from local farmers and field observations.




Figure 1. Map of the study areas.

### Animal Surveys

Affected households in the zones were surveyed to determine the extent of the disease and identify the clinical signs of infection. Information was gathered through interviews with farmers, who provided details on the symptoms observed and the affected animals.

### Clinical Observation

Clinical examination was carried out on the animals' showing signs of disease. This included physical examination, observation of symptoms, and recording of details such as:



Figure 2. A. Two PPR Infected goats severely depressed goats, sleepy and discharges from nose and mouth. B and C: infected goat with mouth lesions, completely obstruct, and thick cheesy from mouth. D: PPR Infected goat with severe profuse watery diarrhea

### Clinical Signs of PPR


High fever, nasal discharge (serous to mucopurulent), oral ulcers and lesions (especially in the mouth and around the eyes), diarrhea, and respiratory distress (coughing, labored breathing).

### Clinical Signs of CCPP

Respiratory signs such as coughing, nasal discharge, and labored breathing, pleural exudates, dehydration due to fever and respiratory difficulty, sudden deaths, particularly in young goats and rapid spread of the disease among affected herds.



**Figure 3.** A: Expert collecting blood from CCPP suspected goat. B: Infected goat with severe depressed and dyspnea. C and D: Showed postmortem findings of lung abscess and pleural fibrosis of infected goat



**Figure 4.** A & B: Shows positive tests of PPR infected goats from targeted areas. C and D: displays vaccination interventions made against PPR and CCPP from goats at targeted areas

### Sample Collection Diagnostic Techniques

Nasal swabs were collected from suspected animals to detect antigen (Ag) against PPR virus, while blood samples (Serum) were collected to perform serological testing for CCPP identification. A total of 160 infected goats were sampled for both nasal discharges and blood serum from study areas. Then after, *Penside* test for PPR

virus was performed to detect antigen in the nasal discharges of infected caprine to detect active PPR infection. While, the collected serum samples from infected animals were transported to Jigjiga Regional Veterinary laboratory for further investigations effectively. In addition, serological test of Enzyme-linked immunosorbent assays (ELISA) was performed to detect antibodies in the serum of infected caprine against CCPP.

## Result and Discussion

### Laboratory Results

To confirm the diagnosis of PPR and CCPP, samples were collected from the affected animals for laboratory testing. Thus, the laboratory confirmed the presence of both PPR and CCPP in the affected goats, with 9 infected caprine testing positives for PPR and other 10 infected caprine showed positive test for CCPP disease. As shown below (table 1) describes the number of infected goats with its respective disease in terms of district level accordingly.

### Mortality and Morbidity

A significant number of goats in both the Jarar and Doolo Zones exhibited high mortality and morbidity due to the concurrent outbreak of PPR and CCPP. Initial estimates suggest that over 25% of the affected goats died during the first week of the outbreak (Van Den Bergh et al., 2019; Zamuner et al., 2024).

### Impact on Local Communities

The outbreak caused a considerable loss in livestock, which is the primary livelihood for pastoralists in these affected zones of Somali region, Ethiopia (Abebe et al., 2024; Lelamo et al., 2022; (Zecca & Saima, 2025). Additionally, the economic impact on farmers, who rely on goats for milk, meat, and income, was substantial (Maria et al., 2022; Morales-Jerrett et al., 2020).

### Disease Outbreak Treatment and Control Measures

The affected animals were administered with antibiotics such as oxytetracycline 20% and Penistripe to limit secondary infections and supportive care to alleviate symptoms. Similarly, mass vaccination campaigns for both PPR and CCPP were initiated in the affected zones to prevent further spread. However, the vaccine for CCPP is less widely available, and the campaign relied on available stock from government sources (Grzywacz et al., 2014; O. Lalah et al., 2022; Patel et al., 2023). In addition, local farmers and pastoralists were actively involved in the management and control of the outbreak through education campaigns and awareness programs (Debrah et al., 2021; Mat Zain et al., 2021; Tiwari et al., 2021), while, veterinarians advised

pastoralists on importance of animal movement restrictions to limit the transportation of potentially infected animals.

**Table 1.** Laboratory Results

Zone	Districts	Species	Sampled animals	Laboratory results (+/-)	
				PPR	CCPP
Jarar	Ararso	Caprine	30	+(3)	-(0)
	Dig	Caprine	60	-(0)	+(5)
	Warder	Caprine	15	+3	-(0)
Dollo	Bokh	Caprine	20	+3	-(0)
	Galadi	Caprine	35	-(0)	+(5)
Total	+ (9)		+ (10)		+ (9)
		Total	160		+ (10)

### Discussion

PPR is a highly contagious and deadly viral disease in goats. The disease is usually seen in adults (1 to 5 years) which is similar to our case report (Alhaji Bukar & Musa Mabu, 2023). Similarly, a study concluded that the clinical manifestation such as high fever, oculonasal discharges, pneumonia, stomatitis, and inflammation of gastrointestinal tract leading to severe diarrhoea followed by death or recovery (Huang et al., 2020). Contagious caprine pleuropneumonia (CCPP) is a severe disease of goats with high morbidity and mortality and occurs in many countries in Africa and Asia (Paray et al., 2019; Prats-van Der Ham et al., 2015). In Ethiopia, the circulation of CCPP has been suspected for a long period, especially in remote regions those are bordering to the known infected countries with *Mycoplasma capricolum* subspecies *capripneumoniae* like Kenya and Sudan. In 1990 outbreak of CCPP occurred in Ogaden in eastern Ethiopia and in east Shoa province (Chota et al., 2019; Haq et al., 2022; Semmate et al., 2024).

### Conclusion

The detection of PPR Ag in the nasal discharge of infected caprine provide strong evidence of active PPR infection, also the detection of CCPP antibodies in the serum of infected caprine shows clearly active for CCPP infection. Therefore, the highly contagious nature of PPR and CCPP, there is a significant risk of diseases transmission within and between districts. To successfully control the spread of PPR, immediate intervention measures is mandatory, like vaccinations campaigns, isolation of sick and healthy animals and treatment of infected animals are imperative. Based on the above conclusion the following recommendations are forwarded: Strengthen disease surveillance systems in pastoral regions; Improve the distribution and administration of vaccines to remote areas; Increase awareness and education programs for pastoralists on

disease prevention and control; Enhance veterinary infrastructure and resources in affected zones; Develop a contingency plan for future outbreaks to ensure a more rapid and efficient response

### Acknowledgments

We are grateful to the Kabridahar Regional Veterinary Laboratory Center and Jigjiga Regional Veterinary Laboratory Center

### Author Contributions

Conceptualization. A. A. M.; methodology. Y. Y. H.; validation, A. A. M.; formal analysis. A. M. A.; investigation. A. M. A; resources. A. A. R.; data curation, A. A. M; writing – original draft preparation, A. A. R.; writing – review and editing, A. A. M; visualization, Y. Y. H: All authors have read and agreed to the published version of the manuscript.

### Funding

Researchers independently funded this research.

### Conflicts of Interest

The authors declare no conflict of interest.

### References

- Abebe, S., Melaku, H., Kidanu, A. G., & Tschopp, R. (2024). Pastoralism and Resulting Challenges for National Parks in Afar, Ethiopia. *EcoHealth*, 21(2-4), 195–208. <https://doi.org/10.1007/s10393-024-01687-6>
- Abubakar, M., Irfan, M., & Manzoor, S. (2015). Peste des petits ruminants in Pakistan; past, present and future perspectives. *Journal of Animal Science and Technology*, 57(1), 32. <https://doi.org/10.1186/s40781-015-0066-0>
- Alhaji Bukar, B., & Musa Mabu, I. (2023). Common Diseases of Goats, Treatment and Preventive measures. In S. Kukovics (Ed.), *Goat Science – From Keeping to Precision Production*. IntechOpen. <https://doi.org/10.5772/intechopen.1001377>

Andre Mataveia, G., Visser, C., & Sito, A. (2023). Smallholder Goat Production in Southern Africa: A Review. In S. Kukovics (Ed.), *Goat Science – Environment, Health and Economy*. IntechOpen. <https://doi.org/10.5772/intechopen.97792>

Bekele Atoma, T., Szonyi, B., Haile, A. F., Fries, R., Baumann, M. P. O., & Randolph, D. G. (2024). Assessment of health problems of sheep and goats based on ante-mortem and post-mortem inspection at Addis Ababa Abattoir, Ethiopia. *Frontiers in Veterinary Science*, 11, 1406801. <https://doi.org/10.3389/fvets.2024.1406801>

Chota, A., Shirima, G., & Kusiluka, L. (2019). Risk factors associated with *Mycoplasma capricolum* subspecies *capripneumoniae* and morbillivirus infection in small ruminants in Tanzania. *Tropical Animal Health and Production*, 51(7), 1807–1815. <https://doi.org/10.1007/s11250-019-01981-4>

Debrah, J. K., Vidal, D. G., & Dinis, M. A. P. (2021). Raising Awareness on Solid Waste Management through Formal Education for Sustainability: A Developing Countries Evidence Review. *Recycling*, 6(1), 6. <https://doi.org/10.3390/recycling6010006>

Grzywacz, D., Stevenson, P. C., Mushobozi, W. L., Belmain, S., & Wilson, K. (2014). The use of indigenous ecological resources for pest control in Africa. *Food Security*, 6(1), 71–86. <https://doi.org/10.1007/s12571-013-0313-5>

Haq, R. I. U., Parray, O. R., Nazir, Q. U. A., Bhat, R. A., Shah, S. A., Kawaosa, M. S., Rabaan, A. A., Aljeldah, M., Al Shammari, B. R., Almogbel, M. S., Alharbi, N., Alrashoudi, R., Sabour, A. A., Alaeq, R. A., Alshiekheid, M. A., Alshamrani, S. A., Albutti, A., Alwashmi, A. S. S., Dhama, K., & Yatoo, Mohd. I. (2022). Immune and Oxidative Response against Sonicated Antigen of *Mycoplasma capricolum* subspecies *capripneumoniae* – A Causative Agent of Contagious Caprine Pleuropneumonia. *Microorganisms*, 10(8), 1634. <https://doi.org/10.3390/microorganisms10081634>

Huang, C.-T., Hong, C.-M., Tsai, Y.-J., Sheng, W.-H., & Yu, C.-J. (2020). Gastrointestinal complications are associated with a poor outcome in non-critically ill pneumonia patients. *BMC Gastroenterology*, 20(1), 383. <https://doi.org/10.1186/s12876-020-01537-z>

Jemberu, W. T., Li, Y., Asfaw, W., Mayberry, D., Schrobback, P., Rushton, J., & Knight-Jones, T. J. D. (2022). Population, biomass, and economic value of small ruminants in Ethiopia. *Frontiers in Veterinary Science*, 9, 972887. <https://doi.org/10.3389/fvets.2022.972887>

Kumar, A., Kumar, R., Gattani, A., & Mandal, S. (2025). Morbillivirus Replication and Immune Evasion: Implications for Vaccine Design. In *Viral Replication and Production [Working Title]*. IntechOpen. <https://doi.org/10.5772/intechopen.1008984>

Lelamo, L. L., Shenkut, B. T., & Abdilahi, A. H. (2022). Drought characteristics and pastoralists' response strategies in Korahey zone, Somali regional state, Eastern Ethiopia. *Scientific African*, 16, e01254. <https://doi.org/10.1016/j.sciaf.2022.e01254>

Ma, W.-T., Gu, K., Yang, R., Tang, X.-D., Qi, Y.-X., Liu, M.-J., & Chen, D.-K. (2020). Interleukin-17 mediates lung injury by promoting neutrophil accumulation during the development of contagious caprine pleuropneumonia. *Veterinary Microbiology*, 243, 108651. <https://doi.org/10.1016/j.vetmic.2020.108651>

Maria, T., Dimitrios, G., Christos, K., & Stamatis, A. (2022). Techno-economic and financial index analysis for the improvement of entrepreneurship and competitiveness strategies of Greek goat enterprises. *Frontiers in Sustainable Food Systems*, 6, 982307. <https://doi.org/10.3389/fsufs.2022.982307>

Mat Zain, N. H., Johari, S. N., Abdul Aziz, S. R., Ibrahim Teo, N. H., Ishak, N. H., & Othman, Z. (2021). Winning the Needs of the Gen Z: Gamified Health Awareness Campaign in Defeating COVID-19 Pandemic. *Procedia Computer Science*, 179, 974–981. <https://doi.org/10.1016/j.procs.2021.01.087>

Mdetele, D. P., Komba, E., Seth, M. D., Misinzo, G., Kock, R., & Jones, B. A. (2021). Review of Peste des Petits Ruminants Occurrence and Spread in Tanzania. *Animals*, 11(6), 1698. <https://doi.org/10.3390/ani11061698>

Meza-Herrera, C. A., Navarrete-Molina, C., Macias-Cruz, U., Arellano-Rodriguez, G., De Santiago-Miramontes, A., Sariñana-Navarrete, M. A., Marin-Tinoco, R. I., & Perez-Marin, C. C. (2024). Dairy Goat Production Systems: A Comprehensive Analysis to Reframe Their Global Diversity. *Animals*, 14(24), 3717. <https://doi.org/10.3390/ani14243717>

Molla, W., Zegeye, A., Mekonnen, S. A., Fentie, T., Berju, A., Nigatu, S., Kenubih, A., Haile, B., & Jemberu, W. T. (2023). Risk factors associated with contagious caprine pleuropneumonia in goats of Amhara region, Ethiopia. *Preventive Veterinary Medicine*, 215, 105909. <https://doi.org/10.1016/j.prevetmed.2023.105909>

Morales-Jerrett, E., Mancilla-Leyton, J. M., Delgado-Pertíñez, M., & Mena, Y. (2020). The Contribution of Traditional Meat Goat Farming Systems to Human Wellbeing and Its Importance for the Sustainability of This Livestock Subsector. *Sustainability*, 12(3), 1181. <https://doi.org/10.3390/su12031181>

Nyakwawa, C., Mulagha-Maganga, A., & Mangisoni, J. H. (2022). Profit inefficiency of goat farming in

Malawi: A Bayesian approach. *Heliyon*, 8(11), e11318.  
<https://doi.org/10.1016/j.heliyon.2022.e11318>

O. Lalah, J., O. Otieno, P., Odira, Z., & A. Ogunah, J. (2022). Pesticides: Chemistry, Manufacturing, Regulation, Usage and Impacts on Population in Kenya. In M. L. Laramendy & S. Soloneski (Eds.), *Pesticides – Updates on Toxicity, Efficacy and Risk Assessment*. IntechOpen.  
<https://doi.org/10.5772/intechopen.105826>

Ohishi, K., Suzuki, R., & Maruyam, T. (2012). Host-Virus Specificity of the Morbillivirus Receptor, SLAM, in Marine Mammals: Risk Assessment of Infection Based on Three-Dimensional Models. In A. Romero (Ed.), *New Approaches to the Study of Marine Mammals*. InTech. <https://doi.org/10.5772/53215>

O'Toole, D., & Li, H. (2014). The Pathology of Malignant Catarrhal Fever, With an Emphasis on Ovine Herpesvirus 2. *Veterinary Pathology*, 51(2), 437-452.  
<https://doi.org/10.1177/0300985813520435>

Parray, O. R., Yatoo, Mohd. I., Muheet, Ahmed Bhat, R., Ullah Malik, H., Bashir, S. T., & Nabi Magray, S. (2019). Seroepidemiology and risk factor analysis of contagious caprine pleuropneumonia in Himalayan Pashmina Goats. *Small Ruminant Research*, 171, 23-36.  
<https://doi.org/10.1016/j.smallrumres.2018.12.004>

Patel, P., Macdonald, J. C., Boobalan, J., Marsden, M., Rizzi, R., Zenon, M., Ren, J., Chu, H., Cappelleri, J. C., Roychoudhury, S., O'Brien, J., Izaki-Lee, K., & Boyce, D. (2023). Regulatory agilities impacting review timelines for Pfizer/BioNTech's BNT162b2 mRNA COVID-19 vaccine: A retrospective study. *Frontiers in Medicine*, 10, 1275817.  
<https://doi.org/10.3389/fmed.2023.1275817>

Prats-van Der Ham, M., De La Fe, C., Amores, J., Paterna, A., Tatay-Dualde, J., & Gómez-Martín, Á. (2015). Contagious caprine pleuropneumonia (CCPP) and other emergent mycoplasmal diseases affecting small ruminants in arid lands. *Journal of Arid Environments*, 119, 9-15.  
<https://doi.org/10.1016/j.jaridenv.2015.03.006>

Rahman, M. H., Alam, M. S., Ali, M. Z., Haque, M. N., Akther, S., & Ahmed, S. (2024). First report of contagious caprine pleuropneumonia (CCPP) in Bangladeshi goats: Seroprevalence, risk factors and molecular detection from lung samples. *Heliyon*, 10(23), e40507.  
<https://doi.org/10.1016/j.heliyon.2024.e40507>

Selim, A., Megahed, A., Kandeel, S., Alanazi, A. D., & Almohammed, H. I. (2021). Determination of Seroprevalence of Contagious Caprine Pleuropneumonia and Associated Risk Factors in Goats and Sheep Using Classification and Regression Tree. *Animals*, 11(4), 1165.  
<https://doi.org/10.3390/ani11041165>

Semmate, N., Bamouh, Z., Elkarhat, Z., Elmejdoub, S., Saleh, M., Fihri, O. F., & Elharrak, M. (2024). The Development and Evaluation of a New Inactivated Vaccine against *Mycoplasma capricolum* subsp. *Capricolum*. *Microorganisms*, 12(6), 1118.  
<https://doi.org/10.3390/microorganisms12061118>

Sujarwanta, R. O., Afidah, U., Suryanto, E., Rusman, Triyannanto, E., & Hoffman, L. C. (2024). Review: Goat and Sheep Meat Production in Indonesia. *Sustainability*, 16(11), 4448.  
<https://doi.org/10.3390/su16114448>

Tajonar, K., López Díaz, C. A., Sánchez Ibarra, L. E., Chay-Canul, A. J., González-Ronquillo, M., & Vargas-Bello-Pérez, E. (2022). A Brief Update on the Challenges and Prospects for Goat Production in Mexico. *Animals*, 12(7), 837.  
<https://doi.org/10.3390/ani12070837>

Tiwari, P. K., Rai, R. K., Khajanchi, S., Gupta, R. K., & Misra, A. K. (2021). Dynamics of coronavirus pandemic: Effects of community awareness and global information campaigns. *The European Physical Journal Plus*, 136(10), 994.  
<https://doi.org/10.1140/epjp/s13360-021-01997-6>

Uhl, E. W., Kelderhouse, C., Buijkstra, J., Blick, J. P., Bolon, B., & Hogan, R. J. (2019). New world origin of canine distemper: Interdisciplinary insights. *International Journal of Paleopathology*, 24, 266-278.  
<https://doi.org/10.1016/j.ijpp.2018.12.007>

Van Den Bergh, C., Venter, E. H., Swanepoel, R., & Thompson, P. N. (2019). High seroconversion rate to Rift Valley fever virus in cattle and goats in far northern KwaZulu-Natal, South Africa, in the absence of reported outbreaks. *PLOS Neglected Tropical Diseases*, 13(5), e0007296.  
<https://doi.org/10.1371/journal.pntd.0007296>

Vanmechelen, B., Vergote, V., Merino, M., Verbeken, E., & Maes, P. (2020). Common occurrence of Belerina virus, a novel paramyxovirus found in Belgian hedgehogs. *Scientific Reports*, 10(1), 19341.  
<https://doi.org/10.1038/s41598-020-76419-1>

Wells, H. L., Loh, E., Nava, A., Solorio, M. R., Lee, M. H., Lee, J., Sukor, J. R. A., Navarrete-Macias, I., Liang, E., Firth, C., Epstein, J. H., Rostal, M. K., Zambrana-Torrel, C., Murray, K., Daszak, P., Goldstein, T., Mazet, J. A. K., Lee, B., Hughes, T., ... Anthony, S. J. (2022). Classification of new morbillivirus and jeilongvirus sequences from bats sampled in Brazil and Malaysia. *Archives of Virology*, 167(10), 1977-1987.  
<https://doi.org/10.1007/s00705-022-05500-z>

Zahur, A. B., Ullah, A., Irshad, H., Latif, A., Ullah, R. W., Jahangir, M., Afzal, M., Khan, S. A., & Salaria, S. M. (2014). Epidemiological Analysis of Peste des Petits Ruminants (PPR) Outbreaks in Pakistan. *Journal of*

*Biosciences and Medicines*, 02(06), 18–26.  
<https://doi.org/10.4236/jbm.2014.26004>

Zamuner, F., Carpenter, E. K., Gebrekidan, H., Arcos-Gómez, G., Parkinson, A., Cameron, A. W. N., Leury, B. J., & DiGiacomo, K. (2024). Successful transfer of passive immunity: The natural alternative to antibiotics for boosting the survival of intensively reared dairy goat kids. *Animal*, 18(1), 101040.  
<https://doi.org/10.1016/j.animal.2023.101040>

Zecca, F., & Saima, S. (2025). Pastoralism and women's role in food security in the Ethiopian Somali region. *Humanities and Social Sciences Communications*, 12(1), 371. <https://doi.org/10.1057/s41599-025-04680-8>